Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	(content near10 (provider and distributer)) same client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 13:01
S2	697	(content near20 (provider and distribut\$3)) same client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 13:39
S3	77	((content near20 (provider and distribut\$3)) same client) and fee and ((encryption or decryption) near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 14:29
S4	1	"6016393".PN.	USPAT	OR	OFF	2004/09/27 14:18
S5	1	"5715403".PN.	USPAT	OR	OFF	2004/09/27 14:18
S6	1	"5638443".PN.	USPAT	OR	OFF	2004/09/27 14:19
S7	1	"5634012".PN.	USPAT	OR	OFF	2004/09/27 14:19
S8	1	"5603031".PN.	USPAT	OR	OFF	2004/09/27 14:20
S9	1	"5534975".PN.	USPAT	OR	OFF	2004/09/27 14:20
S10	37	(((content near20 (provider and distribut\$3)) same client) and fee and ((encryption or decryption) near5 key)) and ((authenticat\$3 and distribut\$3) near15 request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 10:02
S11	6	(provid\$3 near5 content) same (predict\$3 near10 demand)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 10:38
S12	1	"6327622".PN.	USPAT	OR	OFF	2004/09/28 10:27
S13	1	"6324590".PN.	USPAT	OR	OFF	2004/09/28 10:28
S14	1	"6324580".PN.	USPAT	OR	OFF	2004/09/28 10:29
S15	1	"6256675".PN.	USPAT	OR	OFF	2004/09/28 10:29
S16	3	(request\$3 near5 content) same (predict\$3 near10 demand)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 12:56
S17	0	(frequently near10 (requested or demanded or asked)) same (aquir\$4 near10 content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 13:05

S18	0	((most or frequent) near10 (request\$3 or demand\$3 or ask\$3)) same (aquir\$4 near10 content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 13:07
S19	0	((future) near10 (request\$3 or demand\$3 or ask\$3)) same (aquir\$4 near10 content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 13:06
S20	21839	((most or frequent) near10 (request\$3 or demand\$3 or ask\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 13:07
S21	870	(((most or frequent) near10 (request\$3 or demand\$3 or ask\$3)) ) and (content near10 (provider or distributor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 13:08
S22	103	((((most or frequent) near10 (request\$3 or demand\$3 or ask\$3)) ) and (content near10 (provider or distributor))) and (access near5 (history or log))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 15:29
S23	2	"6424718".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 15:31
S24	2	"6463454".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 16:35
S25	274	database same acl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 16:28
S26	99	(database same acl) and (authenticat\$3 near10 (user or client))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 16:15
S27	4	(database same acl) and (authenticat\$3 near10 (user or client)) and (provid\$3 near10 (content or resource)) and (Fee or (billing near info))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 16:23

S28	5	(database same acl) and (authenticat\$3 near10 (user or client)) and (provid\$3 near10 (content or resource)) and (charg\$3 or (billing near info))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 16:24
S29	2	((database same acl) and (authenticat\$3 near10 (user or client)) and (provid\$3 near10 (content or resource)) and (charg\$3 or (billing near info))) not ((database same acl) and (authenticat\$3 near10 (user or client)) and (provid\$3 near10 (content or resource)) and (Fee or (billing near info)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 16:24
S30	39	(database same acl) and (encryption near key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 16:28
S31	38	((database same acl) and (encryption near key)) not (((database same acl) and (authenticat\$3 near10 (user or client)) and (provid\$3 near10 (content or resource)) and (charg\$3 or (billing near info))) and ((database same acl) and (authenticat\$3 near10 (user or client)) and (provid\$3 near10 (content or resource)) and (Fee or (billing near info))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 16:28
S32	2	"6170058".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 16:37
S33	11	(resource or content) and (licenc\$3 near5 charg\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 16:41
S34	, 0	(resource or content) and (licenc\$3 near5 charg\$3) and (acl)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 16:45
S35	0	(resource or content) and (licenc\$3 near5 (site or server)) and (acl)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 16:45

S36	56	(resource or content) and (licens\$3 near5 (site or server))	US-PGPUB; USPAT;	OR	ON	2004/09/28 17:26
		and (acl)	EPO; JPO; DERWENT; IBM_TDB			
S37	4	(licens\$3 near5 (site or server)) and (acl) and website	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 17:28
S38	40	isp and acl and license	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 17:29
S39	26	(isp and acl and license) and (authenticat\$3 near10 (users client))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 17:36
S40	28990	"705".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 17:36
S41	340	705/59.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 17:36
S42	3	705/59.ccls. and (authenticat\$3 near10 (user or client)) and "access control list"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 18:12
S43	0	713/193.pn. and (authenticat\$3 near10 (user or client)) and "access control list"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 18:13
S44	9	713/193.ccls. and (authenticat\$3 near10 (user or client)) and "access control list"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 09:58
S45	2	"5210795".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 09:59

046	T	N= 101 == 2"	1	1	1	
S46	2	"5491752".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 10:00
S47	823	database same (access near5 permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 10:01
S48	66	(database same (access near5 permission)) and (authenticat\$3 near server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 10:02
S49	14	((database same (access near5 permission)) and (authenticat\$3 near server)) and ((encrypt\$3 or decrypt\$3) near key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 10:07
S50	729	"authentication server" and ((encrypt\$3 or decrypt\$3) near key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 10:07
S51	409	("authentication server" and ((encrypt\$3 or decrypt\$3) near key)) and (request\$3 near5 (resource or service or content))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 10:13
S52	1	(("authentication server" and ((encrypt\$3 or decrypt\$3) near key)) and (request\$3 near5 (resource or service or content))) and ("user name" same acl)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 10:09
S53	409	(("authentication server" and ((encrypt\$3 or decrypt\$3) near key)) and (request\$3 near5 (resource or service or content))) and ((proxy or authentication or "access control") near server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 10:40
S54	10	(("authentication server" and ((encrypt\$3 or decrypt\$3) near key)) and (request\$3 near5 (resource or service or content))) and (( "access control") near server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 10:17
S55	7	(("authentication server" and ((encrypt\$3 or decrypt\$3) near key)) and (request\$3 near5 (resource or service or content))) and (permission near server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 10:21

S56	7	(("authentication server" and ((encrypt\$3 or decrypt\$3) near key)) and (request\$3 near5 (resource or service or content))) and (credentials near server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 10:21
S57	30	(("authentication server" and ((encrypt\$3 or decrypt\$3) near key)) and (request\$3 near5 (resource or service or content))) and (authentication near server) and (payment near5 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 10:41
S58	1	"5948054".PN.	USPAT	OR	OFF	2004/09/29 11:58
S59	1	"5774660".PN.	USPAT	OR	OFF	2004/09/29 11:59
S60	1	"5765033".PN.	USPAT	OR	OFF	2004/09/29 11:59
S61	1	"5710887".PN.	USPAT	OR	OFF	2004/09/29 11:59
S62	2	"6088805".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 10:07
S63	2	"6757710".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 13:09
S64	2	"5710887".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 13:09
S65	100	(acl same database) and (encrypt\$3 or decrypt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 13:30
S66	4	((acl same database) and (encrypt\$3 or decrypt\$3) ) and (provider same (authenticat\$3 near10 (client or user)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 13:11
S67	25	(acl same database) and ((encrypt\$3 or decrypt\$3) near10 (message or content))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 13:31

S68	24	((acl same database) and ((encrypt\$3 or decrypt\$3) near10 (message or content))) not (((acl same database) and (encrypt\$3 or decrypt\$3)) and (provider same (authenticat\$3 near10 (client or user))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 13:25
S69	29	("access permission" same database) and ((encrypt\$3 or decrypt\$3) near10 (message or content))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 13:33
S70	29	(("access permission" same database) and ((encrypt\$3 or decrypt\$3) near10 (message or content))) not (((acl same database) and ((encrypt\$3 or decrypt\$3) near10 (message or content))) and (((acl same database) and ((encrypt\$3 or decrypt\$3) near10 (message or content))) not (((acl same database) and (encrypt\$3 or decrypt\$3) ) and (provider same (authenticat\$3 near10 (client or user))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 13:32
S71	4326	(access near5 control) and ((encrypt\$3 or decrypt\$3) near10 (message or content))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 13:34
S72	4307	((access near5 control) and ((encrypt\$3 or decrypt\$3) near10 (message or content))) not ((("access permission" same database) and ((encrypt\$3 or decrypt\$3) near10 (message or content))) not (((acl same database) and ((encrypt\$3 or decrypt\$3) near10 (message or content))) and (((acl same database) and ((encrypt\$3 or decrypt\$3) near10 (message or content))) not (((acl same database) and (encrypt\$3 or decrypt\$3) ) and (provider same (authenticat\$3 near10 (client or user)))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 13:34

S73	404	(((access near5 control) and ((encrypt\$3 or decrypt\$3) near10 (message or content))) not ((("access permission" same database) and ((encrypt\$3 or decrypt\$3) near10 (message or content))) not (((acl same database) and ((encrypt\$3 or decrypt\$3) near10 (message or content))) and (((acl same database) and ((encrypt\$3 or decrypt\$3) near10 (message or content))) not (((acl same database) and (encrypt\$3 or decrypt\$3) near10 (message or content))) not (((acl same database) and (encrypt\$3 or decrypt\$3)) and (provider same (authenticat\$3 near10 (client or user))))))))) and (request\$3 near5 resource) and (authoriz\$3 near5 access)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 13:35
S74		((((access near5 control) and ((encrypt\$3 or decrypt\$3) near10 (message or content))) not ((("access permission" same database) and ((encrypt\$3 or decrypt\$3) near10 (message or content))) not (((acl same database) and ((encrypt\$3 or decrypt\$3) near10 (message or content))) and (((acl same database) and ((encrypt\$3 or decrypt\$3) near10 (message or content))) not (((acl same database) and (encrypt\$3 or decrypt\$3) near10 (message or content))) not (((acl same database) and (encrypt\$3 or decrypt\$3) ) and (provider same (authenticat\$3 near10 (client or user))))))))) and (request\$3 near5 resource) and (authoriz\$3 near5 ((decryption or encryption) near key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 13:36
S75	2	"6463454".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 09:44
S76	42104	distribut\$5 near15 content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 09:45

S77	2	"6088805".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2005/05/02 09:48
S78	1626	cryptolop or (secure near content)	IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 10:07
S79	0	S78 and (access near trends)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 10:08
S80	247	S78 and (profil\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 10:08
S81	3	S80 and (predict near10 demand)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 10:10
S82	3	S80 and ((predict\$5 or estimat\$4 or calculat\$5) near10 demand)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 10:16
S83	34	S80 and (log\$5 near5 access) and (profiling) and advertisement	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 10:19
S84	31	S83 and database and authenticat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 10:20
S85	31	S84 and permission	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 10:20
S86	31	S85 and (distribut\$5 near5 content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 10:36

S87	2	"5887243".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 10:38
S88	2	"6009410".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 10:56
S89	0	(osi near model) near10 (security near (plane or module or program or code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 10:57
S90	2	(osi near layers) near10 (security near (plane or module or program or code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 10:59
S91	132	(osi near5 layers) and (security near (plane or module or program or code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 10:59
S92	45	S91 and ((coupled or connected) near5 layers)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 12:31
S93	1345	((demand near3 (driven or based or trigered)) near10 (distribut\$4 or transmit\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 12:32
S94	38	S93 and (control\$5 near3 access) and (distribut\$5 near3 content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 15:35
S95	0	S94 and ((collect\$5 or log\$5) near5 (surfing near4 (habit or behavior or usage)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 12:43
S96	0	S94 and ((collect\$5 or log\$5 or gather\$5) near5 (surfing near4 (habit or behavior or usage)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 12:44

S97	11	((collect\$5 or log\$5 or gather\$5) near5 (surfing near4 (habit or behavior or usage)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 16:16
S98	1	"5878223".PN.	USPAT; USOCR	OR	ON	2005/05/03 12:48
S99	3	((collect\$5 or log\$5 or gather\$5) near5 (surfing near4 (habit or behavior or usage))) and encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 15:36
S10 0	1345	((demand near3 (driven or based or trigered)) near10 (distribut\$4 or transmit\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 15:35
S10 1	32	S100 and (control\$5 near3 access) and (distribut\$5 near3 content) and (encrypt\$4 or encipher\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 15:35
S10 2	0	((collect\$5 or log\$5 or gather\$5) near5 (surfing near4 (habit or behavior or usage))) and encrypt\$4 and S101	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 15:36
S10 3	0	((collect\$5 or log\$5 or gather\$5) near5 (surfing near4 (habit or behavior or usage))) and S101	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 15:38
S10 4	340	(user near profile) near10 key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 15:38
S10 5	148	S104 and (encrypt\$4 or encipher\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 15:39
S10 6	44	S105 and (key near3 database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 15:47

	T	T	Γ			
S10 7	29	S105 and (key near database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 15:47
S10 8	22	S107 and (request\$4 near4 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 16:33
S10 9	4	S108 and ((send\$4 or transmit\$4) near3 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 15:49
S11 0	3	((collect\$5 or log\$5 or gather\$5) near5 (surfing near4 (habit or behavior or usage))) and (delet\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 16:17
S11 1	6	S107 and (request\$4 near4 key) and bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 16:37
S11 2	0	S111 and ((time near (based or dependent or specific)) near10 (send\$4 or transmi\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 16:36
S11 3	0	S107 and (request\$4 near4 key) and bandwidth and (schedul\$5 near5 (download or transmi\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 16:37
S11 4	4778	bandwidth and (schedul\$5 near5 (download or transmi\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 16:41
S11 5	633	(network near bandwidth) and (schedul\$5 near5 (download or transmi\$5)) and efficien\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 16:42
S11 6	77	S115 and (schedul\$5 near5 distribut\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 16:42

S11 7	6	S116 and (key near database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 16:39
S11 8	4058	bandwidth and (schedul\$5 near3 (download or transmi\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 16:41
S11 9	567	(network near bandwidth) and (schedul\$5 near3 (download or transmi\$5)) and efficien\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 16:42
S12 0	44	S119 and (schedul\$5 near2 distribut\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 16:42
S12 1	207	collect\$5 near5 (access near3 (info or stat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 14:29
S12 2	0	S121 and (access\$5 near5 trends)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 14:08
S12 3	0	S121 and (access adj1 trends)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 14:10
S12 4	0	S121 and (surf\$6 adj1 trends)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 14:09
S12 5	6	S121 and ( trends)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 14:09
S12 6	20	S121 and (access adj1 request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 14:16

S12 7	0	S126 and (based near5 demand)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 14:15
S12 8	0	S126 and (based same demand)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 14:15
S12 9	0	S126 and (most near5 requested)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 14:15
S13 0	3	S126 and demand	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 14:16
S13 1	215	collect\$5 near5 (access near3 (info or stat\$5 or trends))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 14:30
S13 2	353	(collect\$5 or analyz\$5) near5 (access near3 (info or stat\$5 or trends))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 14:30
S13 3	3	S132 and (predict\$6 near10 demand)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 14:34
S13 4	11	S132 and (cach\$5 near5 proxy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 12:16
S13 5	2	"5920701".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 12:26
S13 6	229	(content near5 distribut\$6) same (delet\$4 near5 content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 12:32

S13 7	4	S136 and ((calculat\$4 or determin\$4) near5 (delet\$4 near3 time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 12:29
S13 8	4	S136 and ((calculat\$4 or determin\$4 or estimat\$4) near5 (delet\$4 near3 time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 12:30
S13 9	105	(content near5 distribut\$6) near20 (delet\$4 near5 content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 12:33
S14 0	96	S136 and count\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 12:34
S14 1	0	S136 and (demand near3 rate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 12:34
S14 2	1	S136 and (demand near3 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 12:35
S14 3	0	S136 and (demand near3 count)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 12:35
S14 4	20	S136 and (demand near3 based)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 14:28
S14 5	114	"I2" and (delet\$5 near5 cach\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 14:29
S14 6	144231	"I2"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 14:29

S14 7	185	(distribut\$4 near5 content) and (delet\$5 near5 cach\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 14:29
S14 8	3	S147 and ((demand near5 based) same cach\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 14:33
S14 9	204	"6009410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 14:33
S15 0	2	"6009410".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 14:36
S15 1	16226	user near profile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 14:37
S15 2	28	(user near profile) near15 (expir\$5 near5 (date or time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 16:35
S15 3	0	S152 and (receiv\$5 same (sufficient adj2 bandwith))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 14:39
S15 4	0	S152 and ( (sufficient adj2 bandwith))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 14:39
S15 5	0	S152 and (network adj2 bandwidth)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 14:40
S15 6	219	(control\$5 near5 access) and acl and (encryption adj1 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 16:50

S15 7	80	S156 and (user adj profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 16:38
S15 8	0	S156 and ((user adj profile) same (expir\$5 near4 (date and time)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 16:36
S15 9	0	S156 and ((user adj profile) same (expir\$5 near4 (date or time)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 16:37
S16 0	0	S156 and ((user adj profile) same expir\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 16:37
S16 1	0	S156 and ((user adj profile) same expir\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 16:37
S16 2	. 0	S156 and ((user adj profile) near10 "acl")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 16:39
S16 3	4	S156 and ((user adj profile) same "acl")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 16:39
S16 4	15	(control\$5 near5 (access\$4 near3 (web near3 (page or site)))) and acl and (encryption adj1 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 16:59
S16 5	4	(permit\$5 same (access\$4 near3 (web near3 (page or site)))) and acl and (encrypt\$5 adj3 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 17:03
S16 6	2	S165 not S164	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 17:00

S16 7	217	(permit\$5 same (access\$4 near10 (web near3 (page or site)))) and (key near5 (server or database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 17:04
S16 8	215	S167 not S164	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 17:04
S16 9	215	S168 not S166	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 17:04
S17 0	51	S169 and (user adj4 profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 17:19
S17 1	1	S169 and ((user adj4 profile) same expir\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2005/11/08 17:05
S17 2	28	S170 and cookie	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 08:36
S17 3	2203	(user near profile) and permission	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 08:36
S17 4	78	S173 and client and server and (key adj1 database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 09:39
S17 5	1	2001/0037407	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 09:39
S17 6	2	"20010037407"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 09:39